according to Regulation (EC) No. 1907/2006

## **EUROPREN 2618**

Version Revision Date: SDS Number: Date of last issue: -

1.0 21.05.2022 100000021505 Date of first issue: 21.05.2022

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : EUROPREN 2618

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

1.3 Details of the supplier of the safety data sheet

Company : H.B. Fuller, Isar-Rakoll, S.A.

Address : Estrada Nacional 13

PT-4486-851 Mindelo - Vila do Conde

+351 229 288 200

E-mail address of person

responsible for the SDS

: EU-MSDS@hbfuller.com

1.4 Emergency telephone number

Emergency telephone number: +44 1235 239 670 (24 hours)

#### **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

## Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 2 H225: Highly flammable liquid and vapour.

Skin irritation, Category 2 H315: Causes skin irritation.

Eye irritation, Category 2 H319: Causes serious eye irritation.

Specific target organ toxicity - single ex-

posure, Category 3, Central nervous

system

H336: May cause drowsiness or dizziness.

Long-term (chronic) aquatic hazard, Cat-

egory 2

H411: Toxic to aquatic life with long lasting effects.

## 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





according to Regulation (EC) No. 1907/2006

## **EUROPREN 2618**

Version Revision Date: SDS Number: Date of last issue: -

1.0 21.05.2022 100000021505 Date of first issue: 21.05.2022

Signal word : Danger

Hazard statements : H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes serious eye irritation.H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P210 Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking.

P233 Keep container tightly closed.P261 Avoid breathing mist or vapours.P273 Avoid release to the environment.

Response:

P370 + P378 In case of fire: Use dry sand, dry chemical or

alcohol-resistant foam to extinguish.

P391 Collect spillage.

## Hazardous components which must be listed on the label:

ethyl acetate

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane acetone

## **Additional Labelling**

EUH208

Contains Rosin, 4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane. May produce an allergic reaction.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

## 3.2 Mixtures

#### Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		, ,
	Registration number		
ethyl acetate	141-78-6	Flam. Liq. 2; H225	>= 30 - < 50
	205-500-4	Eye Irrit. 2; H319	
	607-022-00-5	STOT SE 3; H336	
	01-2119475103-46-	(Central nervous	
	0000	system)	
		EUH066	

according to Regulation (EC) No. 1907/2006

## **EUROPREN 2618**

Version Revision Date: SDS Number: Date of last issue: -

1.0 21.05.2022 100000021505 Date of first issue: 21.05.2022

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	64742-49-0 921-024-6 01-2119475514-35- 0000	Flam. Liq. 2; H225 Asp. Tox. 1; H304 Aquatic Chronic 2; H411 Skin Irrit. 2; H315 STOT SE 3; H336 (Respiratory system)	>= 30 - < 50
acetone	67-64-1 200-662-2 606-001-00-8 01-2119471330-49- 0000	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336 (Central nervous system) EUH066	>= 10 - < 20
n-hexane	110-54-3 203-777-6 601-037-00-0 01-2119480412-44- 0000	Flam. Liq. 2; H225 Skin Irrit. 2; H315 Repr. 2; H361f STOT SE 3; H336 (Central nervous system) STOT RE 2; H373 Asp. Tox. 1; H304 Aquatic Chronic 2; H411  specific concentration limit STOT RE 2; H373 >= 5 %	>= 0,25 - < 1
Rosin	8050-09-7 232-475-7 650-015-00-7 01-2119480418-32- 0000	Skin Sens. 1; H317	>= 0,25 - < 1
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6 500-033-5 603-074-00-8 01-2119456619-26- 0000	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 2; H411 ——————————————————————————————————	>= 0,1 - < 0,25

For explanation of abbreviations see section 16.

according to Regulation (EC) No. 1907/2006

## **EUROPREN 2618**

Version Revision Date: SDS Number: Date of last issue: -

1.0 21.05.2022 100000021505 Date of first issue: 21.05.2022

## **SECTION 4: First aid measures**

- 4.1 Description of first aid measures
- **4.2 Most important symptoms and effects, both acute and delayed**None known.
- 4.3 Indication of any immediate medical attention and special treatment needed

## **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- 5.2 Special hazards arising from the substance or mixture
- 5.3 Advice for firefighters

## **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures
- 6.2 Environmental precautions
- 6.3 Methods and material for containment and cleaning up
- 6.4 Reference to other sections

## **SECTION 7: Handling and storage**

- 7.1 Precautions for safe handling
- 7.2 Conditions for safe storage, including any incompatibilities
- 7.3 Specific end use(s)

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

## **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
ethyl acetate	141-78-6	OELV - 8 hrs (TWA)	200 ppm 734 mg/m3	IE OEL
		OELV - 15 min (STEL)	400 ppm 1.468 mg/m3	IE OEL
		STEL	400 ppm 1.468 mg/m3	2017/164/EU
	Further information: Indicative			
		TWA	200 ppm	2017/164/EU

according to Regulation (EC) No. 1907/2006

## **EUROPREN 2618**

Version Revision Date: SDS Number: Date of last issue: -

1.0 21.05.2022 100000021505 Date of first issue: 21.05.2022

			734 mg/m3	
	Further info	Further information: Indicative		
acetone	67-64-1	TWA	500 ppm 1.210 mg/m3	2000/39/EC
	Further info	Further information: Indicative		
		OELV - 8 hrs (TWA)	500 ppm 1.210 mg/m3	IE OEL
n-hexane	110-54-3	TWA	20 ppm 72 mg/m3	2006/15/EC
	Further info	Further information: Indicative		
		OELV - 8 hrs	20 ppm	IE OEL
		(TWA)	72 mg/m3	
		Further information: Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body		

## Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

	<u> </u>		<u> </u>	
Substance name	End Use	Exposure routes	Potential health effects	Value
ethyl acetate	Workers	Inhalation	Acute systemic effects	1468 mg/m3
	Workers	Inhalation	Acute local effects	1468 mg/m3
	Workers	Inhalation	Long-term systemic effects	734 mg/m3
Hydrocarbons, C6- C7, n-alkanes, isoal- kanes, cyclics, <5% n-hexane	Workers	Inhalation	Long-term systemic effects	2,035 mg/m3
acetone	Workers	Dermal	Long-term systemic effects	186 mg/kg
	Workers	Inhalation	Acute local effects	2420 mg/m3
	Workers	Inhalation	Long-term systemic effects	1210 mg/m3
n-hexane	Workers	Dermal	Long-term systemic effects	13 mg/kg
	Workers	Inhalation	Long-term systemic effects	93 mg/m3

## Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
ethyl acetate	Fresh water	0,26 mg/l
	Intermittent use/release	1,65 mg/l
	Marine water	0,026 mg/l
	Fresh water sediment	1,25 mg/kg
	Marine sediment	0,125 mg/kg
	Soil	0,24 mg/kg
	Sewage treatment plant	650 mg/l
acetone	Marine water	1,06 mg/l
	Fresh water	10,6 mg/l
	Fresh water sediment	30,4 mg/l
	Marine sediment	3,04 mg/l
	Soil	0,112 mg/l

according to Regulation (EC) No. 1907/2006

## **EUROPREN 2618**

Version Revision Date: SDS Number: Date of last issue: -

1.0 21.05.2022 100000021505 Date of first issue: 21.05.2022

Sewage treatment plant 29,5 mg/l

## 8.2 Exposure controls

## **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : beige

Odour : solvent-like

Flash point : -26 °C

Viscosity

Viscosity, dynamic : 1.000 mPa.s (20 °C)

Viscosity, kinematic : > 20,5 mm2/s (40 °C)

Density : 0,85 g/cm3 (20 °C)

## 9.2 Other information

No data available

## **SECTION 10: Stability and reactivity**

- 10.1 Reactivity
- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid
- 10.5 Incompatible materials
- 10.6 Hazardous decomposition products

## **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Acute toxicity** 

## **Components:**

n-hexane:

Acute dermal toxicity : LD50 Dermal (Rabbit): 3.000 mg/kg

according to Regulation (EC) No. 1907/2006

## **EUROPREN 2618**

Version Revision Date: SDS Number: Date of last issue: -

1.0 21.05.2022 100000021505 Date of first issue: 21.05.2022

#### 11.2 Information on other hazards

## **Endocrine disrupting properties**

**Product:** 

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

#### Components:

n-hexane:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 2,1 - 2,98

mg/l

Exposure time: 96 h

Test Type: flow-through test

Rosin:

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 3,8 - 5,4 mg/l

Exposure time: 48 h Test Type: static test

## 12.2 Persistence and degradability

No data available

## 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

**Product:** 

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

## 12.6 Endocrine disrupting properties

#### **Product:**

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to

according to Regulation (EC) No. 1907/2006

## **EUROPREN 2618**

Version Revision Date: SDS Number: Date of last issue: -

1.0 21.05.2022 100000021505 Date of first issue: 21.05.2022

REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## 12.7 Other adverse effects

No data available

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

## **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADR : UN 1133
RID : UN 1133
IMDG : UN 1133
IATA : UN 1133

## 14.2 UN proper shipping name

ADR : ADHESIVES
RID : ADHESIVES
IMDG : ADHESIVES

(HEPTANE, HEXANES)

IATA : Adhesives

## 14.3 Transport hazard class(es)

 ADR
 : 3

 RID
 : 3

 IMDG
 : 3

 IATA
 : 3

## 14.4 Packing group

## **ADR**

Packing group : III
Classification Code : F1
Hazard Identification Number : 30
Labels : 3
Tunnel restriction code : (D/E)

**RID** 

Packing group : III
Classification Code : F1
Hazard Identification Number : 30

according to Regulation (EC) No. 1907/2006

## **EUROPREN 2618**

Version Revision Date: SDS Number: Date of last issue: -

1.0 21.05.2022 100000021505 Date of first issue: 21.05.2022

Labels : 3

**IMDG** 

Packing group : III Labels : 3

EmS Code : F-E, S-D

IATA (Cargo)

Packing instruction (cargo : 366

aircraft)

Packing instruction (LQ) : Y344
Packing group : III

Labels : Flammable Liquids

IATA\_P (Passenger)

Packing instruction (passen: 355

ger aircraft)

Packing instruction (LQ) : Y344
Packing group : III

Labels : Flammable Liquids

14.5 Environmental hazards

ADR

Environmentally hazardous : yes

**RID** 

Environmentally hazardous : yes

**IMDG** 

Marine pollutant : yes

## 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

Conditions of restriction for the following entries should be considered: Number on list 3

methanol (Number on list 69)

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

: not applicable

Regulation (EC) No 1005/2009 on substances that de- : not applicable

according to Regulation (EC) No. 1907/2006

## **EUROPREN 2618**

Version Revision Date: SDS Number: Date of last issue: -

1.0 21.05.2022 100000021505 Date of first issue: 21.05.2022

plete the ozone layer

Regulation (EU) 2019/1021 on persistent organic pollu- : not applicable

tants (recast)

RoHS: 2011/65/EU, Restriction of Hazardous Substanc- : not applicable

es

Regulation (EC) No 649/2012 of the European Parlia: not applicable

ment and the Council concerning the export and import of dangerous chemicals

REACH - List of substances subject to authorisation : not applicable

(Annex XIV)

Regulation (EU) 2019/1148 on the marketing and use of explosives precursors

This product is regulated by Regulation (EU) 2019/1148: all suspicious transactions, and significant disappearances and thefts should be re-

https://ec.europa.eu/home-affairs/sites/ homeaffairs/files/what-we-do/policies/crisis-and-terrorism/explosives/explosives-

ported to the relevant national contact point. Please see

precur-

sors/docs/list\_of\_competent\_authorities\_and\_national\_contact\_points\_e n.pdf

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

E2 ENVIRONMENTAL HAZARDS

: acetone (ANNEX II)

P5c FLAMMABLE LIQUIDS

Volatile organic compounds :

Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)

not applicable

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

REACH : On the inventory, or in compliance with the inventory

according to Regulation (EC) No. 1907/2006

## **EUROPREN 2618**

Version Revision Date: SDS Number: Date of last issue: -

1.0 21.05.2022 100000021505 Date of first issue: 21.05.2022

#### 15.2 Chemical safety assessment

#### **SECTION 16: Other information**

#### **Full text of H-Statements**

H225 : Highly flammable liquid and vapour.

H304 : May be fatal if swallowed and enters airways.

H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction.
H319 : Causes serious eye irritation.
H336 : May cause drowsiness or dizziness.
H361f : Suspected of damaging fertility.

H373 : May cause damage to organs through prolonged or repeated

exposure.

H411 : Toxic to aquatic life with long lasting effects.

EUH066 : Repeated exposure may cause skin dryness or cracking.

#### Full text of other abbreviations

Aquatic Chronic : Long-term (chronic) aquatic hazard

Asp. Tox.

Eye Irrit.

Flam. Liq.

Repr.

Skin Irrit.

Skin Sens.

Skin sensitisation

Aspiration hazard

Eye irritation

Flammable liquids

Reproductive toxicity

Skin irritation

Skin sensitisation

STOT RE : Specific target organ toxicity - repeated exposure STOT SE : Specific target organ toxicity - single exposure

2000/39/EC : Europe. Commission Directive 2000/39/EC establishing a first

list of indicative occupational exposure limit values

2006/15/EC : Europe. Indicative occupational exposure limit values
2017/164/EU : Europe. Commission Directive 2017/164/EU establishing a
fourth list of indicative occupational exposure limit values

fourth list of indicative occupational exposure limit values

IE OEL : Ireland. List of Chemical Agents and Occupational Exposure

Limit Values - Schedule 1 Limit Value - eight hours

2000/39/EC / TWA : Limit Value - eight hours 2006/15/EC / TWA : Limit Value - eight hours 2017/164/EU / STEL : Short term exposure limit 2017/164/EU / TWA : Limit Value - eight hours

IE OEL / OELV - 8 hrs (TWA) : Occupational exposure limit value (8-hour reference period)
IE OEL / OELV - 15 min : Occupational exposure limit value (15-minute reference peri-

(STEL) od)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration as-

according to Regulation (EC) No. 1907/2006

## **EUROPREN 2618**

Version Revision Date: SDS Number: Date of last issue: -

1.0 21.05.2022 100000021505 Date of first issue: 21.05.2022

sociated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

# Classification of the mixture: Classification procedure: Flam Lin 2 H225 Based on product data or assessment

Fiam. Liq. 2	H225	Based on product data or as
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
STOT SE 3	H336	Calculation method
Aquatic Chronic 2	H411	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

IE / EN